

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google scholar

Message (cached or published) and (macros or applets) and refresh web page

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations



Create email alert

Results 1 - 100 of about 312. (0.32 sec)

Did you mean: [Message \(cached or published\) and \(macros for applets\) and refresh web page](#)

[\[PS\]](#) [Shift it to the Server!-Let the Database Server Update Your Web Sites](#)

[uni-kl.de](#) [\[PS\]](#)

H Loeser - **Web** Information Systems Engineering, 2000 - [wwwlgis.informatik.uni-kl.de](#)

... For instance, if a new document is being **published** to the **Web** server via "webdocs ... Then, employing an UDF, an e-mail containing the error **message** is being sent to the ... A further technique is to **cache page** components or whole pages, Moreover, 3-tier system architectures ...

Cited by 3 - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[\[PDF\]](#) [accepted for WISE 2000, Hongkong, June 2000](#)

[uni-kl.de](#) [\[PDF\]](#)

H Loeser - [wwwlgis.informatik.uni-kl.de](#)

... For instance, if a new document is being **published** to the **Web** server via "webdocs ... Then, employing an UDF, an e-mail containing the error **message** is being sent to the ... A further technique is to **cache page** components or whole pages, Moreover, 3-tier system architectures ...

[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[Cluster-based scalable network services](#)

[psu.edu](#) [\[PDF\]](#)

A Fox, SD Gribble, Y Chawathe, EA Brewer, ... - [Proceedings of the ...](#), 1997 - [portal.acm.org](#)

... 2.2.4 Soft State for Fault Tolerance and Availability The technique of constructing robust entities by relying on **cached** soft state **refreshed** by periodic **messages** from peers has been enormously successful in wide-area TCPAP networks [5,20,39], another arena in which ...

Cited by 558 - [Related articles](#) - [BL Direct](#) - [All 22 versions](#)

[\[PDF\]](#) [Fax No. 2571071 E-Mail: office.mit@manipal.edu Web site www.manipal.edu](#)

[psu.edu](#) [\[PDF\]](#)

MCA PROGRAMME - Citeseer

... 10. Projects Carried out : "Extended short **message** UCP protocol Tester" in T- Systems, Nova , GMBH, Germany 11. Patents : Nil ... **Page** 20. 9. No. of Papers **published** in : -- • National Journals • International Journals • Conferences 10. Projects Carried out : **Web** based Project 11. ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[BOOK\]](#) [Java servlet programming](#)

J Hunter, W Crawford - 2001 - [books.google.com](#)

... Some of the material in Chapter 2 was first **published** in JavaWorld magazine, December 1999 ... and act as RMI servers, as well as a class to help **applets** communicate with ... first edition, there are also new classes to help servlets send email **messages**, **cache** responses, and ...

[Cited by 517](#) - [Related articles](#) - [Library Search](#) - [All 8 versions](#)

[\[PDF\] 744 AFTER DOCUMENTS ARE CREATED OR MODIFIED OPTION• ASSIGNING TO DO ITEMS](#)

[johnwiley.com.au](#) [PDF]

A Memo, A ECLs - databases - media.johnwiley.com.au

... 530 in rich text fields, 64 as shared resources, 670–671, 671 **Applets** option, 25 ... feature, 295

Automatic option, 609 Automatically Enable Edit Mode option, 502 Automatically **Refresh Fields**

option ... and Anniversaries view, 80 body fields and bodies in e-mail **messages**, 120 in ...

[View as HTML](#) - [All 2 versions](#)

[\[PDF\] WEB-ENABLED INTERFACE FOR AN ADAPTIVE SYSTEMS'INTERACTIVE BOOK](#)

[psu.edu](#) [PDF]

R Kumar - 2001 - Citeseer

... Simulations" **published** by John Wiley & Sons, Inc. The electronic book comes in CD- ... Client/ Server

Communication Model RPC Communication **Message** Passing Communication ... only as needed,

can be **cached** inside the browser to avoid the expensive download operation. ...

[View as HTML](#) - [All 7 versions](#)

[A runtime system for interactive **Web** services](#)

[psu.edu](#) [PDF]

C Brabrand, A Møller, A Sandholm, MI ... - Computer Networks, 1999 - Elsevier

... 1286(99)00025-0 | How to Cite or Link Using DOI Copyright © 1999 **Published** by Elsevier ... by

the service programmer by simply overwriting the reply file with a **message** more appropriate

for ... 2. This file always contains a 'no **cache**' pragma-command, so that the client browser ...

[Cited by 21](#) - [Related articles](#) - [All 25 versions](#)

[\[PDF\] Note to the Reader: Throughout this index boldfaced **page** numbers indicate primary discussions of a topic. Italicized **page** numbers indicate illustrations.](#)

[johnwiley.com.au](#) [PDF]

A Launcher, K Viewer, K Access, A Utility, AE ... - connections - media.johnwiley.com.au

... AppleTalk tab, 772 **applets** AppleScript, 580, 583 launching, 258 AppleTypeServer (ATS) log

entry, 766 ... Common Gateway Interface (CGI) scripts, 649 storing, 662–664 for **web** serving, 655 ...

applications, 752–757, 753–755, 776 diagnosing, 746 connect **messages**, 362 Connect ...

[View as HTML](#) - [All 2 versions](#)

[\[PDF\] OpenXUP-an Alternative Approach to Developing Highly Interactive **Web** Applications](#)

[psu.edu](#) [PDF]

J Yu, B Benatallah, F Casati, R Saint-Paul - ... conference on **Web** ..., 2006 - Citeseer

... This approach allows applications to perform both micro and **macro** UI updates, eliminating end users' visual discomfort with frequent **page** refreshes as in HTML ... Figure 2. Framework architecture and protocol **messages** ... The **applet** may **cache** application data on the client side. ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[\[PDF\] BinProlog 7.0 Professional Edition: Internet Programming Guide](#)

[psu.edu](#) [PDF]

P Tarau - 1999 - Citeseer

... In BinProlog (starting with free version 6.25) code fetched lazily over the network is **cached** in

a local ... In particular, on a chat-only server our roaming agent can only display a **message**. ... server

has the ability to interact with multiple servants, in particular with multiple Java **applets**. ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\] BinProlog 11. x Professional Edition: Internet Programming Guide](#)

[binnetcorp.com \[PDF\]](#)

P Tarau - 2006 - binnetcorp.com

... In BinProlog (starting with free version 6.25) code fetched lazily over the network is **cached** in a local database and then dynamically recompiled on the fly if usage ... In particular, on a chat-only server our roaming agent can only display a **message**. ... 13.6 Some Prolog **Macros** ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[\[BOOK\] Foundations of AJAX](#)

[lob.de \[PDF\]](#)

R Asleson, NT Schutta - 2006 - books.google.com

... **refresh** whenever possible; at one point, we even considered writing a Java **applet** that would ... cate with the server without forcing the user to suffer through a complete **page refresh**. ... and Newman (BBN) installed the first packet switches called Interface **Message** Processors (IMPs ...

[Cited by 81](#) - [Related articles](#) - [Library Search](#) - [All 41 versions](#)

[\[PDF\] Enabling chaotic ubiquitous computing](#)

[uwaterloo.ca \[PDF\]](#)

OA Dragoi, JP Black - 2004 - ccnga.uwaterloo.ca

... individual user. Alternatively, to reduce the latency to transfer frame code to the client, frames could be **cached** at the client or pre-fetched, assuming storage is inexpensive. ... Furthermore, frames are **published** and execute ... **message** structure rather than to certain functionality. ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[\[PDF\] BinProlog 10. x Professional Edition Internet Programming Guide](#)

[psu.edu \[PDF\]](#)

P Tarau - Relation, 2005 - Citeseer

... In BinProlog (starting with free version 6.25) code fetched lazily over the network is **cached** in a local database and then dynamically recompiled on the fly if usage ... In particular, on a chat-only server our roaming agent can only display a **message**. ... 13.6 Some Prolog **Macros** ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[\[PDF\] STUDY SCHEME FOR MCA](#)

[psu.edu \[PDF\]](#)

I SEMESTER - Citeseer

... hireachary, Memory management, Main and Auxiliary memory, Associative, Virtual and **cache** memory ... of correct Applications, Reusability Classes, Instance Values, Methods and **Messages**, Creating and ... Overview C + +: Linkages, How to make a Library, Functions, **Macros**. ...

[View as HTML](#)

[WebEAV](#)

[nih.gov \[HTML\]](#)

PM Nadkarni, CM Brandt, L ... - Journal of the American ..., 2000 - jamia.bmjournals.com

... a browser visits a particular **page** on a **Web** site, its contents are **cached** on the ... A "style" is effectively a **macro** that permits the font, color, positioning, and visibility of HTML ... serverside validation can be done (and should be done anyway), providing an error **message** after the ...

[Cited by 42](#) - [Related articles](#) - [BL Direct](#) - [All 14 versions](#)

[\[PDF\] Note to the Reader: Throughout this index boldfaced **page** numbers indicate primary discussions of a topic. Italicized](#)

[johnwiley.com.au \[PDF\]](#)

page numbers indicate illustrations.

A Features, A Options, C Power, A Scripting, AP Wizard ... - power - media.johnwiley.com.au
... Shortcut Wizard, 268, 269–271 Creator Owner, 416 credentials, 126–127 **cached**, 128 CRT ... ISP),
420 intranet, Remote Desktop over, 175, 176 "Invalid partition table" error **message**, 79 IP ... MAC
(Media Access Control) address, 337–338, 421 **macros**, 411 and security, 386, 406 ...

View as HTML - All 5 versions

Information platform

JR Wannamaker, P Scheyen, A Lodberg, ... - US Patent App. 10/ ..., 2002 - Google Patents
... includes: [0088] Starting and shutting down the system [0089] Viewing log **messages** (Severe,
Warning ... **Web** sites, converted or rendered by the system, and then **cached** on application ... The
middleware platform sup- ports multiple running Java and native **applets**, each sharing ...

All 3 versions

Web-based energy exploration tool for embedded systems

psu.edu [PDF]

I Lee, Y Choi, Y Cho, Y Joo, H Lim, ... - IEEE Design & Test ..., 2004 - ieeexplore.ieee.org
... another user is occupying the system, the new request goes into the queue, and that user receives
a **message** about this ... Unfortunately, state explosion often limits an FSM's utility, but many valuable
techniques such as **macro**- modeling and hierarchical FSMs can extend ... **Cache** ...

Cited by 25 - Related articles - All 11 versions

[CITATION] Web programming Building Internet Applications

C Bates - 2009 - Wiley-India

Cited by 23 - Related articles - Library Search - All 5 versions

[BOOK] Practical WAP: developing applications for the wireless web

C Bennett - 2001 - books.google.com

... First **published** 2001 Design by Susan Ahlquist Composition by G&H SOHO Printed in the ... 104
Variable Conversion and Escaping 105 Parameters 107 Context 107 **Cached** Pages 107 ... Contents
Capabilities 179 PUSH DESIGN ISSUES 180 Selecting a **Message** Type 180 ...

Cited by 10 - Related articles - Library Search - All 2 versions

[PDF] Evaluation of a Java-based Office-package

psu.edu [PDF]

T Öbrink - Citeseer

... **Macro** Editor 8 sec 8 sec 14 sec 7 sec 4 sec 10 sec 4 sec Graph. ... 5.7.1 Restart error? Restarting
the AnywareOffice **applet** after a crash by doing View->Clear **Cache** followed by View->Reload
Page results in an error **message** window without content popping up. ...

Related articles - View as HTML - All 6 versions

[PDF] A runtime system for interactive Web services

unipi.it [PDF]

C BrabrandL, A Møller, A Sandholm, MI Schwartzbach - 1999 - medialab.di.unipi.it

... 1999 **Published** by Elsevier ... wait' **page** can be overridden by the service pro- grammer by simply
overwriting the reply file with a **message** more appropriate ... 2. This file always contains a 'no **cache**'
pragma-command, so that the client browser always fetches a new **page** even ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

System and method for dynamic browser management of web site

J Estrada, MA Estrada, ME Shore - US Patent 7,237,002, 2007 - Google Patents

... 26, 2007 Sheet 3 of 33 146- APPLICABILITY ANALYZER Q47 <-148 **CACHED** - RESPONSE ANALYZER CACHEABILITY ANALYZER INTRF ... DROP OR FILE-OPEN-DIALOG TO SELECT FILE -s ^244 [END OF USER INTERACTION] **PUBLISH** FILE ON **WEB** L. CONVERT ...

[All 2 versions](#)

System and method for network-based computing

CK Wei - US Patent App. 10/754,782, 2004 - Google Patents

... Reliable Bi-directional Messaging ientSideFirewall Client machine 220 \ / Client Browser 230 **Message** Queue 221 ... Universa Flash SWF XML Compiler 318 Compiler 320 **£** __ ^ V . Server **Cache** 218 IVM ... both add to the failure of wide adoption of Java **Applets** for enterprise ...

[All 4 versions](#)

FlexScope: support for browsing multiple pages on the Web

B Wei, H Huang, A Filner, K Li - wiapp, 2001 - computer.org

... Once we can let the proxy retain valid information in its **cache**, we can load the related ... As the resolution of desk- top monitors keeps improving, the capability of handling mailbox **messages** through multiple ... HPP: HTML **macro**-processing to support dynamic document caching. ...

[Related articles](#) - [All 4 versions](#)

[PDF] Lightweight Web Interface for Accessing Lotus Domino Mail from Handheld Devices

[cvut.cz \[PDF\]](#)

A Egressy - 2007 - dip.felk.cvut.cz

... 9 Figure 4 - Domino **Web** mail and iNotes 47 Figure 28 - Composed **message** form..... 49 Figure 30 - User settings **page**.....

[View as HTML](#)

A component and communication model for push systems

[psu.edu \[PDF\]](#)

M Hauswirth, M Jazayeri - Software Engineering—ESEC/FSE'99, 1999 - Springer

... Announce **Publish** ... scalability): consumers are notified about the availabil- ity of new data via a push mechanism (small **messages**) while the ... A **cache** (**cache** manager) is the only transport system infrastructure: an organization can have a primary caching manager (CM) and a ...

Cited by 69 - [Related articles](#) - [BL Direct](#) - [All 10 versions](#)

Method and system for monitoring a controller and displaying data from the controller in a format provided by the controller

KC Crater, CE Goldman - US Patent 7,146,408, 2006 - Google Patents

... "Ethernet Base Gateway Product," AEG-Modicon, **published** 1991. ... Abstract of "Experiments in tele-handling and tele-machining at the **macro** and micro sclaes, using ... Momal, et al., "Using World-Wide **Web** for Control Systems," International Conference on Accelerator and Large ...

[PDF] Michael I. Schwartzbach BRICS, Department of Computer Science University of Aarhus, Denmark

[psu.edu \[PDF\]](#)

C Brabrand, A Møller, A Sandholm - Citeseer

... useful aspects include database support, cryptologic security, client-side input validation, **applet** integration, interaction ... language—everything that could be reduced to something more basic using **macros** has been ... Figure 1 shows an example of a **message** list from WebBoard. ...

[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

Some notes on malware

ME Kabay - Ubiquity, 2005 - portal.acm.org

... study of real-world infection and infestation rates (high) and security measures (poor) **published** in October ... e-mail **message** from an advertiser, users are more likely to open the **message** and hence ... do what they want with **Web** pages that have been copied to their own **cache**? ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

Guidelines on Active Content and Mobile Code: Recommendations of the National Institute of Standards and Technology

[dtic.mil](#) [PDF]

WA Jansen, BOOZ-ALLEN AND HAMILTON INC ... - 2001 - oai.dtic.mil

... Interpreters are ubiquitous: spreadsheet formulas, database query languages, word processing **macros**, and script ... browser component that provides the execution environment for Java **applets**, involves an ... body parts, possibly of differing types of data, into a single **message**. ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[PDF] Using Wiki in Education

[lut.fi](#) [PDF]

K Rannikko - V1.[Online]: <http://www.lut.fi/fi/oppimiskeskus/> ..., 2004 - lut.fi

... Caching all pages and images can be **cached** for faster loading. Cookie-based account and login system. ... Users can send broadcast **messages** to all users in same channel. ... Material can for example include texts for the subject, videos, audio clips, **applets**, quizzes or surveys. ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#)

[BOOK] Microsoft FrontPage 2002 Unleashed

WR Stanek - 2001 - books.google.com

... Long Memory 64 Matching Files with Editors 64 Using **Macros** 66 Managing ... Options 379 Display and Appearance Options 380 Finishing the Discussion **Web** Wizard 382 ... Deleting Individual **Messages** 387 Modifying Individual **Messages** 388 Changing **Message** Formatting 388 ...

[Cited by 2](#) - [Related articles](#) - [All 4 versions](#)

[PDF] Intensional Infrastructure for Collaborative Mapping

[psu.edu](#) [PDF]

B Mancilla - 2004 - Citeseer

... 81 4.14 **Applet** with listener thread to node A1:interface Mapping Server, I have created a context sharing infrastructure that allows users to **publish** the part of their local context that controls the configuration of their ... Chapter 2 Around the World The medium is the **message** ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

Method and system for playback of dynamic HTTP transactions

RC Allan - US Patent App. 10/314,466, 2002 - Google Patents

... determined parameter within the transaction request **message**, and the transaction request **message** is sent ... returns a **Web page**, which is then stored by the browser in browser **cache** 208 ...

a GUI window is depicted for a browser application with an integrated **macro** recorder utility ...

[All 2 versions](#)

[\[PDF\] Symbols & Numbers](#)

[wiley.com](#) [PDF]

OS Keyboard, C Map, S Tasks - System - media.wiley.com

... and Themes control panel, for fonts, 734 AppFixes, 29 Apple QuickTime, 510 **applet** viruses, 584 ... and workgroup name, 566 cables for network, 559 installation, 562–563 **cache** for **Web** ... 771 canceling all pending jobs to given printer, 228 capitalization, in e-mail **message**, 422 ...

[View as HTML](#)

[\[HTML\] Some Notes on Malware](#)

[acm.org](#) [HTML]

S a Comment, B Excerpts - acm.org

... study of real-world infection and infestation rates (high) and security measures (poor) **published** in October ... e-mail **message** from an advertiser, users are more likely to open the **message** and hence ... do what they want with **Web** pages that have been copied to their own **cache**? ...

[Cached](#)

[A survey on dynamic **Web** content generation and delivery techniques](#)

J Ravi, Z Yu, W Shi - Journal of Network and Computer Applications, 2009 - Elsevier

... Needless to say, since the last 10 years when the majority of **Web** sites were developed to **publish** static information only, they have evolved steadily and ubiquitously to serve dynamic and complex **Web** ... If a **cached** object has to be invalidated and **refreshed** very often it is not ...

Cited by 3 - [Related articles](#) - [All 3 versions](#)

[System for monitoring economic trends in fleet management network](#)

DA Mook, DA George - US Patent App. 11/035,829, 2005 - Google Patents

... Description: Order booked/day Orders booked (non-cumulative) Edit Tab Info... Properties | Standards Process Attributes Categories **Cached** Detail Debug >rocedure ... An event- action subscriber processes **messages** as specified by event- action rules ... 0015] **Published** US patent ...

[Method and system for confirming the launch of interstitial content on an end user computer](#)

J Barsade, U Latarre, A Zell - US Patent App. 10/997,781, 2004 - Google Patents

... the value of a parameter associated with each user when the transmitted **message** is displayed ... An AdCon- troller **applet** specifies a successful presentation of a complete advertisement at a ... the terminal, unless the requested banner has previously been stored or **cached** in the ...

[Language-based caching of dynamically generated HTML](#)

[psu.edu](#) [PDF]

C Brabrand, A Møller, S Olesen, MI Schwartzbach - World Wide **Web**, 2002 - Springer

... appear if it had been generated entirely using first-order templates: only the outermost template remains and the **message** list is ... [6] P. Cao, J. Zhang, and K. Beach, "Active **cache**: Caching dynamic ... [8] F. Douglass, A. Haro, and M. Rabinovich, "HPP: HTML **macro**-preprocessing to ...

Cited by 19 - [Related articles](#) - [BL Direct](#) - [All 19 versions](#)

[\[BOOK\] Create **Web** Pages: Using Dreamweaver 4 and Fireworks 4](#)

B Siriamontheap - 2001 - books.google.com

... But to construct a **Web** site, you should also know what content you want **published** on your **Web** site. ... In this chapter, you will also learn to how to test and **publish** your **Web** site and make sure that your pages are compatible with the browsers. ...

[All 3 versions](#)

[\[PDF\] Enterprise Web Serving with the Lotus Domino Go Webserver for OS/390](#)

[psu.edu \[PDF\]](#)

R Conway, S Fujiwara, G Joseph, E Terwedow, R ... - Citeseer

... 84 4.6 Error **Message** Customization 88 4.7.3 Letting UNIX System Services **Cache**

Files from the HFS 89 ... 315 Appendix D. Sample Net.Data **Macro** to Access SMF

Records Out of DB2 319 Appendix E. SMF Record 103 Details

[View as HTML](#) - [All 3 versions](#)

[\[PDF\] Deterministic Object Management in Large Distributed Systems](#)

[psu.edu \[PDF\]](#)

MS Mikhailov - 2003 - Citeseer

... We evaluated MONARCH using simulations with content collected from real **Web** sites. The results show that MONARCH provides strong **cache** consistency for all objects, even for unpredictably changing ones, and incurs smaller byte and **message** overhead than heuristic ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Improving target acquisition in Web applications with link prediction](#)

[mit.edu \[PDF\]](#)

RC Miller, RB Hanna - 2007 - dspace.mit.edu

... the mouse pointer is slowed when it is over these **messages**; other **messages** are faded into the background to simplify the overall view of the **Web page**. Simplifying a **Web page's** view is critical as **page** complexity continues to increase over time. ...

[Related articles](#)

[\[HTML\] CLIENT/SERVER AND INTERNET/INTRANET DEVELOPMENT](#)

[computer.org \[HTML\]](#)

T Trends - IEEE SOFTWARE - computer.org

... 61-72. 0740-7459/96/\$25.00 © 1996 IEEE **Published** by the IEEE Computer ... The product provides guaranteed **message** delivery and deferred execution capabilities and includes EDA ... database connections on first access and then keeps these elements **cached**, providing faster ...

[Cached](#)

[\[PDF\] Extensible Cluster-Based Scalable Network Services](#)

[psu.edu \[PDF\]](#)

AFSDG Yatin, CEA Brewer, P Gauthier - Citeseer

... constructing robust entities by relying on **cached** soft state **refreshed** by periodic **messages** from peers ... a series of customization settings, using either HTML forms or a Java/JavaScript combination **applet**. ... than writes, and the reads are absorbed by a write- through **cache** in the ...

[Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[\[BOOK\] Killer game programming in java](#)

A Davison - 2005 - books.google.com

... **Published** by O'Reilly Media, Inc., 1005 Gravenstein Highway North, Sebastopol, CA 95472 ... You

want to write a game that uses the latest Java technology, not an **applet** showing a ... ve written several chapters on the API, which can be downloaded from this book's **web** site at http ...

Cited by 48 - [Related articles](#) - [Library Search](#) - [All 7 versions](#)

Self-propagating software objects and applications

SD Ims, Y Li, YS Tan - US Patent 6,665,867, 2003 - Google Patents

... inherent mechanisms for enabling **applets** to automatically take advantage of **cached** data, and ... from most of the disadvantages which have been described with reference to **applets**. ... receiving of the request and response parcels preferably uses a **message** queuing system. ...

[Related articles](#)

[PDF] KDE, 312 Mozilla Firefox, 186 processes and, 272 switching Alt+ Tab, 307–308

[wiley.com](#) [PDF]

C Alternate, D Background, LW Preferences, S ... - configurations - media.wiley.com

... 252 commands at, 294–295 aliases, 55–56 anacron, 296 apt-**cache**, 165–166 ... 471–472 ifconfig command, 80 IM (instant messaging), 218–219 IMAP (Instant **Message** Access Protocol ... 136–137 remapping keys, 137–138 mouse, one-button, 135–136 **macros**, OpenOffice word ...

[View as HTML](#)

[PDF] DB2 UDB for OS/390 and Continuous Availability

[psu.edu](#) [PDF]

... , S Kaschta, R Marschner, C **Page**, MS Almeida, P ... - Citeseer

Page 1. DB2 UDB for OS/390 and Continuous Availability L. Craig Glazebrook, Sabine Kaschta, Richard Marschner, Colin **Page**, Maria Sueli Almeida, Paolo Bruni International Technical Support Organization SG24-5486-00 [www.redbooks.ibm.com](#) **Page** 2. **Page** 3. ...

[View as HTML](#) - [All 7 versions](#)

Systems and methods that utilize scalable vector graphics to provide web-based visualization of a device

DM Callaghan, BA Batke - US Patent App. 10/731,940, 2003 - Google Patents

... In addition, SMTP is generally utilized to convey **messages** from an e-mail client to a mail server. ...

[0007] By way of example, to render a **Web page** with graphics ... der one or more image files (eg, GIF, TIP, BMP, JPEG, etc.); download and execute one or more Java **applets** and/or ...

[PDF] Grammatical Inference for Information Extraction and Visualisation on the Web

[psu.edu](#) [PDF]

TW Hong - 2003 - Citeseer

... text for key pieces of information. The **Message** Understanding Conference ... 23 **Page** 24. 24

CHAPTER 2. INFORMATION EXTRACTION With the rise of the **web**, new opportunities have developed for applying information extraction to **web** documents. ...

Cited by 7 - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[PDF] Cluster-Based Scalable Network Services

[psu.edu](#) [PDF]

AFSDG Yatin, CEA Brewer, P Gauthier - ... : 5-8 October 1997, Saint-Malo, ..., 1997 - Citeseer

... constructing robust entities by relying on **cached** soft state **refreshed** by periodic **messages** from peers ... a series of customization settings, using either HTML forms or a Java/JavaScript combination **applet**. ... than writes, and the reads are absorbed by a write- through **cache** in the ...

[Related articles](#) - [View as HTML](#) - [All 62 versions](#)

[PDF] Cluster-Based Scalable Network Services

psu.edu [PDF]

AFSD Gribble, YCEA Brewer, P Gauthier - Citeseer

... 2.2.4 Soft State for Fault Tolerance and Availability The technique of constructing robust entities by relying on **cached** soft state **refreshed** by periodic **messages** from peers has been enormously successful in wide-area TCP/IP networks [5,20,39] , another arena in which ...

Related articles - View as HTML - All 14 versions

[PDF] Symbols and Numbers

wiley.com [PDF]

AC Monitor, DVD Toast, AUI AUI, ANH Wizard - media.wiley.com

... 623 data destruction, 712 data diddling, 712 Data error reading drive A **message**, 425 data ... See **cache** Disk Defragmenter, 400, 410, 410 disk geometry, 278–282 cylinders, 279–280 ... preparation for drive install, 309 drive letters, changing, 391 DriverGuide.com **web** site, 608, 611 ...

View as HTML

[PDF] A (address) records, 139 Abend Log file, 422–425 access, 319. See also security client selection in, 320–324 to network resources, 320

wiley.com [PDF]

IP AppleShare, ATDS Protocol, ATEP AEP, ATFP ... - Group (BONDING) - media.wiley.com

... **Page** 10. ... for modems, 284–285 IAB (Internet Architecture Board), 465 IBM data connectors, 464 IBM type cable, 21 ICA (Independent Computing Architecture), 308 ICANN, 138 ICMP (Internet Control **Message** Protocol), 112, 465 ICP (Internet **Cache** Protocol), 136 ICS ...

View as HTML - All 4 versions

[PDF] SYMBOLS AND NUMERICS

johnwiley.com.au [PDF]

D Mac, X Mac OS - group - media.johnwiley.com.au

... by, 229, 234 Daypop search engine, 196 Debug menu (Safari), 195 Deleted **Messages** folder, 609 ... 777 application, 136, 503, 685 channel, 252–253 Widget, 92 Dictionary.com **Web** site, 386 digital ... See also hard drive; volume, disk **cache**, 895 ejecting, 78–79, 120 erasing, 79 ...

View as HTML - All 2 versions

[BOOK] Pro ASP. NET 3.5 in C# 2008

M MacDonald, M Szpuszta - 2007 - books.google.com

... 64 Visual Studio **Macros** 481 A Basic Custom **Cache** Dependency. . . . 482 A Custom **Cache** Dependency Using **Message** Queues 483 Asynchronous Pages

Cited by 6 - Related articles - Library Search - All 5 versions

[PDF] Note to the Reader: Throughout this index boldfaced **page** numbers indicate primary discussions of a topic. Italicized **page** numbers indicate illustrations.

johnwiley.com.au [PDF]

A Wizard, ARA Wizard - power - media.johnwiley.com.au

... See System Configuration Utility “System has recovered from a serious error” **message**, 465 system startup ... dialog box for installing programs, 140, 142 for pointers, 98 for **Web** pages, 111 ... 39 in NetMeeting, 933 for network drives, 834–835, 835 Browse for Printer **page**, 858, 859 ...

View as HTML - All 5 versions

[BOOK] Mastering Lotus Notes and Domino 6

[sybex.com](#) [PDF]

M Riggsby, C McCoy, S Haberman, A Falciani - 2005 - sybex.com
... 530 in rich text fields, 64 as shared resources, 670–671, 671 **Applets** option, 25 ... feature, 295
Automatic option, 609 Automatically Enable Edit Mode option, 502 Automatically **Refresh** Fields
option ... and Anniversaries view, 80 body fields and bodies in e-mail **messages**, 120 in ...
[Library Search](#) - [All 3 versions](#)

[PDF] Symbols and Numbers

[tcnd.com](#) [PDF]

NT Windows - tcnd.com
... overview of, 33–34 AppBuild script, building and deploying, 576–578 **applet** clients for ... overview
of, 311–317 CreditDebit9 servlet, using, 495 CreditDebitBean as **web** service, explanation ... 172
custom logins, using with JAAS, 543 custom tags printing typical **messages** with, 336 ...
[View as HTML](#) - [All 5 versions](#)

[PDF] A Web Database for Photographic Prints

[shef.ac.uk](#) [PDF]

MS Steele - 2002 - dcs.shef.ac.uk
... be based on MVC, but within the **Web page** view of this application there may be a Java **applet**
also employing ... the case as many designers use a splash screen as the entry point, which simply
displays a logo or welcome **message**. ... 9 2.4 Review of the Hulton Archive **Web** Site ...
[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[PDF] PROGRAMME STRUCTURE SEMESTER-I

[phonicsedu.com](#) [PDF]

PC Packages - phonicsedu.com
... external, register and static), Enumerations, command line parameters, **Macros**, The C ... Main
memory (RAM/ROM chips), Auxiliary memory, Associative memory, **Cache** memory, Virtual ...
Switching and routing in Network: Telephone switching system, **message** switching, packet ...
[Related articles](#) - [View as HTML](#)

[PDF] concatenation, 80, 130 MaskedTextBox character placeholder, 561*(asterisk), multiplication operator, 130\backslash)
MaskedTextBox, 561

[wiley.com](#) [PDF]

ST Absolute - architecture - media.wiley.com
... 1010 debugging, 46–51 deployment, 215–216, 1102–1103 download **cache**, 1125 framework,
16 ... MVC, 787–806 namespaces, 240 navigation, 758–759 .NET, 618 **Page** Lifecycle, 729 ... 731
parameters, 742 performance, 720 provider model, 761–766 **Publish Web** Site, 734–735 ...
[View as HTML](#)

[PDF] 逢甲大學

[fcu.edu.tw](#) [PDF]

資訊工程學系專題報告, 第五代網路儲存解決方案 - myiecs.iecs.fcu.edu.tw
... Software component system such as OpenDoc, ActiveX and Java **Applet** are these kinds of
framework. Domain Framework ... peer member). Peer group services are **published** as part of the
peer group ... 2.3.2.3.Pipes Pipes are an asynchronous and unidirectional **message** transfer ...
[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[BOOK] Dictionary of e-business: a definitive guide to technology and business terms

F Botto - 2003 - books.google.com

... NET My Services are XML **Web** services accessed over HTTP or DIME using SOAP **messages** holding XML data ... 3. If appropriate, .NET Passport grants the TGT that may be **cached**. ... ETSI has also **published** GSM-400 and GSM-800 specifications, with the former suited to large ...

[Cited by 6](#) - [Related articles](#) - [Library Search](#) - [All 5 versions](#)

[BOOK] Web Security Testing Cookbook: Systematic Techniques to Find Problems Fast

P Hope, B Walther - 2008 - books.google.com

... **Published** by O'Reilly Media, Inc., 1005 Gravenstein Highway North, Sebastopol, CA 95472. ... Sessions, looks at AJAX, a technology that predominates so-called **Web 2.0** applications. ... switches, variables, attributes, keys, functions, types, objects, HTML tags, **macros**, the contents ...

[Cited by 4](#) - [Related articles](#) - [All 2 versions](#)

[PDF] WebSphere Commerce Suite V5.1 Customization and Transition Guide

[ibm.com](#) **[PDF]**

B Moore, ML Diaz, M Gale, T Gankina, F ... - IBM Redbooks, ..., 2001 - redbooks.ibm.com

... WebSphere Commerce Suite V5.1 introduces the concept of a role to help describe the various tasks to be performed when creating and administering a **Web** commerce site. ... Chapter 8, "Testing a store" on **page** 145 is very important. ... How do you **publish** the project to your ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[PDF] The Zope Book (2.)

[psu.edu](#) **[PDF]**

A Latteier, M Pelletier, C McDonough, P Sabaini - Citeseer

... Attributes 67 Methods 67 **Messages** 67 Classes and Instances 68 Inheritance ... 218 Combining METAL and TAL 219 Whole **Page Macros** 219 Caching Templates 220 **Page** Template Utilities 221 ... 265 Caching Services 265 Adding a **Cache** Manager 266 Caching an Object 267 ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 184 versions](#)

[PDF] IBM SecureWay Host On-Demand 4.0: Enterprise Communications in the Era of Network Computing

[psu.edu](#) **[PDF]**

J Over, G Baker, A Boone, KO'Leary, D Owens, S ... - Citeseer

... Figure 1. Host On-Demand Overview For 3270, 5250 and VT emulation, an **applet** running in the **Web** browser Java run time environment ... In addition, icon bars for PF keys, copy/paste, **macro** recording, file transfer, printing, and other basic operations are provided. ...

[View as HTML](#) - [All 7 versions](#)

[BOOK] Pro ASP.NET 4.0 in C# 2010

M MacDonald - 2010 - books.google.com

... IDs94 **Web** Forms Processing Stages ... 110 The **Page** Class112 ... Application, and **Cache**112 ...

[CITATION] Straight to the Point: Dreamweaver 4

C Hervo - 2004 - Firewall Media

[PDF] An E-book Generator for Learning Java

[man.ac.uk](#) **[PDF]**

A Kirsfelds - intranet.cs.man.ac.uk

... LATEX is essentially a series of TEX **macros** and is intended to provide a powerful ... Our first example program is one which simply prints the **message** `\code{Hello World!}` on the ... was originally developed by Lawrence Journal-World[18], a daily newspaper **published** in Lawrence ...

[Related articles](#) - [View as HTML](#)

Method and apparatus for distributing multimedia to remote clients

JW Corley, JM Davey, BW Johnson, DR ... - US Patent App. 11/ ..., 2006 - Google Patents

... Time for Capture Device to Achieve Synchronization _£_ 466 Capture Image and Place in **Cache**

^468 Send ... media responses Multi-media Capture Subsystem requests Video CGI 3 Windows

Messages via Windows **Messages** Msta ITP ... Video **Applet** Monitoring thread 59J FIG. ...

[All 2 versions](#)

[PDF] Comparison of Four Popular Java **Web** Framework Implementations: Struts1. X, WebWork2. 2X, Tapestry4, JSF1. 2 [uta.fi](#) [PDF]

P Wang - 2008 - cs.uta.fi

... **Applet**. As the complexity and scale of the application gradually increase, the ... “View” to receive notifications of changes to the domain model so that the “View” can **refresh** itself with the updated data. ... failed to map directly to the World Wide **Web** [Lightbody and Carreira, 2005]. ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

Access Services

R Maier, T Hädrich, R Peinl - Enterprise Knowledge Infrastructures, 2009 - Springer

... the system, and • dialogues that provide information appropriate to the technical skills of users, eg, instructions, error **messages**. ... **refreshed** user interface to the client. ... HTML pages for **Web** applications are dynamically generated on the server, they cannot be **cached** on clients. ...

[Related articles](#)

Network banner advertisement system and method

J Barsade, SY Cho, A Zell - US Patent App. 10/113,114, 2002 - Google Patents

... The attention of the end user is directed to the advertisement and the **message** that it ... the downloading of an agent from a network server, which agent, having an **applet**, requests the ... Rather than being displayed, the information object is locally **cached** by the browser during ...

[All 4 versions](#)

[BOOK] Absolute PC security and privacy

[wsb.edu.pl](#) [PDF]

M Miller - 2002 - edukator.wsb.edu.pl

... also be used to modify files and send unwanted e-mail **messages**, which is ... Script viruses are based on common scripting languages, which are **macro**-like pseudo- programming ... These viruses are written into JavaScript, ActiveX, and Java **applets**, which often run automatically ...

Cited by 10 - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

System and method for displaying HTML content from portlet as a **page** element in a communities framework

CE Bales - US Patent App. 11/371,424, 2006 - Google Patents

... 2007/0112913 AI Manage Announcements 'ifUffli 1 Create Announcement J Qyfoo D fO>foo

900^ 902_ 1_-/ Title: [foo | — - **Message** Body: (foo ... **Page** 14. ... 29 US 2007/0112913 AI RSS ISffIS

1 Show/Hide folders 1 lillHSSiE 1204 | Add New feed | Archived **Published** Author Title ...

[PDF] All Streams (Honors/Maths/Commerce/Management)

rockseducation.com [PDF]

D SYLLABUS - rockseducation.com

... Bhopal [Complete] □ "Written Communication in English" by Sarah Freeman **published** by Orient ...
table, **Page** Replacement, **Cache** Memory, Hit Ratio, Mapping Techniques, Writing into **Cache** ...

UNIT-III The preprocessor, #define, defining functions like **macros**, #error, #include ...

Related articles - View as HTML - All 2 versions

Automatic reference note generator

YF Chen, JW Dunsmoir - US Patent 7,340,685, 2008 - Google Patents

... while simultaneously automatically collecting the source reference information (eg author, time, date, file name, document name, **web** site address, etc ... been created by inclusion of one or more tracked sources of information may be automatically updated or "**refreshed**" by the ...

All 2 versions

[PDF] iSeries e-business Handbook

psu.edu [PDF]

BR Smith, YS Johng, M Hamada, N Raut, S ... - A Technology and ..., 2001 - Citeseer

... This process is on-going. It begins with a **Web** presence, which moves to a dynamic site and finally to a transactional site. ... For example, consumers expect to find a **Web** site for a particular organization. Otherwise, they think the company is not legitimate. ...

Cited by 1 - Related articles - View as HTML - All 7 versions

[PDF] 568 Allow This Number of Users setting-Available Toolbar Buttons option

wiley.com [PDF]

AC Mode - media.wiley.com

... Account option, 309 Add an Imaging Device option, 501 Add Digital Signature to This **Message** option, 317 Add New Identity option, 436 Add or Remove Programs **applet** for Microsoft ... **cached** credentials defined, 553 in logons, 168 caches ARP, 469, 469 file, 79, 81-82, 82 ...

View as HTML - All 3 versions

Online learning monitor

YF Chen, JW Dunsmoir - US Patent 7,346,853, 2008 - Google Patents

... while simultaneously automatically collecting the source reference information (eg author, time, date, file name, document name, **web** site address, etc ... created by inclusion of one or more tracked sources of information may be automatically updated or "**refreshed**" by the ...

All 2 versions

[PDF] Symbols and Numerics

wiley.com [PDF]

FU Switching, S Items, A Reader, AS Corners, CS ... - icon - media.wiley.com

... responsibly, 358 **Web** sites containing scripts, 360 writing scripts, 362-364 **Applet** Launcher, 159 ... C cable modem connections, 551-552 **cache** files, clearing, 978-980 Calculator application, 396 ... pages with, 689 seeing **Web** site structure graphically, 668-669 **Web** site for, 999 ...

View as HTML - All 2 versions

[CITATION] Pro Asp. Net 3.5 In C# 2008 3Rd Ed: Includes Silverlight 2

M Macdonald, M Szpuszta - 2009 - Wiley-India

[PDF] applying absolute positioning properties, 25–26 layout and, 15 Absolute Value data format, ASP, 763 absolutely positioned (AP) elements. See AP (absolutely ...

wiley.com [PDF]

AP Drag, J Menu, JM Go - Exchange - media.wiley.com

... Open Browser Window action, 482–483 overview of, 465 Popup **Message** action, 483 ... C **cache**, performance benefits of site **cache**, 150 Call JavaScript action, 473 canAcceptCommand() function ... See WordPress code adding Java **applets**, 239–241 adding through the Snippets ...

[View as HTML](#)

[BOOK] JBoss: a developer's notebook

N Richards, S Griffith - 2005 - books.google.com

... **Published** by O'Reilly Media, Inc., 1005 Gravenstein Highway North, Sebastopol, CA 95472. ... properties, parameters, values, objects, events, event handlers, XML tags, HTML tags, **macros**, the contents of ... international or local) (707) 829-0104 (fax) We have a **web page** for this ...

[Cited by 7](#) - [Related articles](#) - [All 5 versions](#)

[BOOK] A practical guide to content delivery networks

tiera.ru [PDF]

G Held - 2006 - books.google.com

... Reasonable efforts have been made to **publish** reliable data and information, but the author and ... Protocol (HTTP) 25 Versions 26 Operation 26 Request **message** 26 Response **message** 28 Hyper ... 121 The max-age directive 121 The s-maxage directive 121 **Cache**-extension 121 ...

[All 11 versions](#)

[BOOK] Pro ASP. NET 3.5 in C# 2008: Includes Silverlight 2

M MacDonald, M Szpuszta - 2009 - books.google.com

... Debugging 57 Single-Step Debugging 58 Variable Watches 61 Advanced Breakpoints 62 Visual Studio **Macros** 63 The ... 475 Custom **Cache** Dependencies 477 A Basic Custom **Cache** Dependency 478 A Custom **Cache** Dependency Using **Message** Queues 479 ...

[Library Search](#) - [All 2 versions](#)

[PDF] MCA51 Object-Oriented Modeling and Design Patterns

msrit.edu [PDF]

I UNIT, II UNIT, IV UNIT - System - msrit.edu

... UNIT VI Presentation Styles, Manuals, Help, and Tutorials Error **Messages**, Non-anthropomorphic ... 8086 string Instructions, Writing and using Procedures, Writing and using Assembler **Macros**. ... browser implementations of XMLHTTP, The same origin policy, **Cache** control, AJAX ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[PDF] SCHEME OF EXAMINATION FOR MASTER OF COMPUTER APPLICATIONS

ncics.in [PDF]

C Using, O Techniques, C Language, C Visual, P ... - ncics.in

... guided and wireless media introduction to switching , circuit **message** and packets ... clients, activeX servers, ActiveX controls, ActiveX documents, and **web**-enabled applications ... models, TLB, paging and segmentation, memory replacement policies, **cache** addressing models ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\] 2nd International Workshop on Web Dynamics in conjunction with the 11th International World Wide Web Conference](#) [bbk.ac.uk](#) [\[PDF\]](#)
[Honolulu, Hawaii, USA, May 7, 2002](#)

XMLS Compression - dcs.bbk.ac.uk

... In this paper we have shown several relations between the **macro** structure of the **Web**, **page** and site age, and ... How- ever, there are conflicting results in the **published** papers. ... Our SteadyState (SS) model is very simple in comparison with other **web** graph models [6, 8, 21, 27]. ...

[Related articles](#) - [View as HTML](#)

[Search engine result reporter](#)

EC Wilson - US Patent App. 10/539,851, 2003 - Google Patents

... Handle engine failure_(s) Search result transformation **macro** Are all engine(s) done? ... OPTIONAL: Search document ready for more results **message** Wait until it is time to post to display ... a search over the Internet are often related this way, coming from the same **Web** site or the ...

[All 3 versions](#)

[\[BOOK\] Java enterprise best practices](#)

R Eckstein - 2002 - books.google.com

... also by talking to readers like you after their particular books were **published**. ... a Nutshell, Second Edition Java Internationalization Java Management Extensions Java **Message** Service Java ... It usually contains servlets, JSP files, **applets**, and various presentation and display logic ...

[Cited by 7](#) - [Related articles](#) - [Library Search](#) - [All 4 versions](#)

[\[PDF\] RASHTRIYA PATRAKARITA EVAM SANCHAR VISHWAVIDYALAYA B-38, PRESS COMPLEX, MP NAGAR ZONE-I, BHOPAL](#) [psu.edu](#) [\[PDF\]](#)

D SYLLABUS, M CHATURVEDI - Citeseer

... Bhopal [Complete] □ "Written Communication in English" by Sarah Freeman **published** by Orient ... table, **Page** Replacement, **Cache** Memory, Hit Ratio, Mapping Techniques, Writing into **Cache** ... UNIT-III The preprocessor, #define, defining functions like **macros**, #error, #include ...

[Related articles](#) - [View as HTML](#) - [All 31 versions](#)


[\[BOOK\] IMS e-business Connect Using the IMS Connectors](#)

[psu.edu](#) [\[PDF\]](#)

R Long, J Jäntti, R Hain, N Kenyon, M Owens, A ... - 1999 - Citeseer

... 218 19.1.10 Set Up the DFS **Message** Output 269 20.6 **Publish** Your Java Servlet to Your **Web** Server 329 24.6.2 Pages after Simple Modifications to the Net.Data **Macro** 331 24.6.3 Modified Code of Net.Data **Macro**

[View as HTML](#) - [Library Search](#) - [All 4 versions](#)

 [Create email alert](#)

Did you mean to search for: [Message \(cached or published\) and \(macros for applets\) and refresh web page](#)

Message (cached or published) and Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google